

AUSTRALIA'S FALL PREVENTION SPECIALISTS SIMPLY WORLD CLASS

ALUMINIUM PLATFORM 150KG RATING TO AS1892

LADaMAX FEATURE WALL



**STRONGEST PLATFORM
STRUCTURE**



**FULLY SUPPORTED
PLATFORM**



**NEW STRONGER
HANDRAIL GRIP**



**"STRONGBOW" WORLD'S
STRONGEST BASE BRACE
TREAD STIFFENER**



**SAFETY GATE
OPTIONAL EXTRA**

PROD No.	DESCRIPTION	O'ALL HEIGHT A(m)	DEPTH B(m)	FRONT C(m)	PLATFORM D(m)	WT (kg)	TRANSPORT CUBE M ³
PS5-2	Platform 5-2	1.5	.83	.58	.61	10	.21
PS6-3	Platform 6-3	1.79	1.01	.62	.88	11	.26
PS7-4	Platform 7-4	2.08	1.18	.66	1.17	12	.32
PS8-5	Platform 8-5	2.37	1.3	.70	1.45	13	.39
PS9-6	Platform 9-6	2.64	1.53	.74	1.74	14	.46
PS10-7	Platform 10-7	2.93	1.70	.78	2.02	15	.54
PS11-8	Platform 11-8	3.22	1.88	.82	2.30	16	.62
PS13-10	Platform 13-10	3.78	2.40	.86	2.89	26	.75
SG	Safety Gate Optional Extra						
CK	Castor Kits Optional Extra (No kits available for PS13-10)						

* All measurements are nominal and do not indicate 'exact' dimensions

Available from:

WA LADDER SALES

PH: (08) 9445-2033

FALL PREVENTION SPECIALISTS

LADAMAX SAFETY GATE AND CASTOR KITS ARE OPTIONAL EXTRAS
PO BOX 5596 BRENDALE MDC QLD 4500. Ph: 07 3205 2511 Fax: 07 3205 4066
EMAIL: admin@ladamax.com.au Web: www.ladamax.com.au

AUSTRALIA'S

FALL PREVENTION SPECIALISTS

SIMPLY WORLD CLASS

STOCK MATE

ALUMINIUM WAREHOUSE ACCESS PLATFORM

SUPPLIED IN K.D. FORM

WA LAUNCH
AUGUST/SEPTEMBER

LADaMAX

A NEW GENERATION IN LADDERS

FEATURE WALL



INTEGRATED HANDRAIL CONNECTOR



STRONGER FULLY SUPPORTED PLATFORM STRUCTURE



FULLY INTEGRATED EXTRUSION CONNECTION SAFETY RAIL / HAND RAIL



CASTORS FITTED OPTIONAL EXTRA C/W "STRONGBOW" WORLD'S STRONGEST BASE BRACE TREAD STIFFENER



150KG RATING TO AS1892

PROD No.	DESCRIPTION	O'ALL HEIGHT A(m)	DEPTH B(m)	FRONT C(m)	PLATFORM D(m)	WT (kg)	TRANSPORT CUBE M ³
SM5-2	Platform 5-2	1.5	.83	.58	.61	12	.21
SM6-3	Platform 6-3	1.79	1.01	.62	.88	13	.26
SM7-4	Platform 7-4	2.08	1.18	.66	1.17	14	.32
SM8-5	Platform 8-5	2.37	1.35	.70	1.45	15	.39
SM9-6	Platform 9-6	2.64	1.53	.74	1.74	16	.46
SM10-7	Platform 10-7	2.93	1.70	.78	2.02	17	.54
SM11-8	Platform 11-8	3.22	1.88	.82	2.30	18	.62
SM13-10	Platform 13-10	3.78	2.40	.86	2.89	28	.75
CK	Castor Kits Optional Extra (No kits available for PS13/10)						

*All measurements are nominal and do not indicate 'exact' dimensions

Available From:

WA LADDERS

PH: (08) 9445-2033

LADAMAX CASTOR KITS ARE OPTIONAL EXTRAS

PO BOX 5596 BRENDALE MDC QLD 4500 Ph: 07 3205 7698 Fx: 07 3205 4066

Email: admin@ladamax.com.au Web: www.ladamax.com.au

FALL PREVENTION SPECIALISTS

ULTRA-MAX

SUPPORTS UP TO 150 KG IN TOTAL WEIGHT

EXTRA HEAVY DUTY for the PROFESSIONAL CONTRACTOR

ALUMINIUM 150

SINGLE SIDED STEP

DOUBLE SIDED STEP

SINGLE



Stronger 'DD' Tread, Fully Swaged

Unique Antiwalk Side Lock

World's Strongest Base Brace/Tread Stiffener

Larger PVC Feet



Stronger 'DD' Tread, Fully Swaged

World's Strongest Base Brace/Tread Stiffener

Larger PVC Feet



Heavy Duty Flat Top 'D' Rung Fully Swaged

Increased Frame Strength

Extra Heavy Duty 'I' Beam Side Rails 4.8, 5.4 & 6.0

SIZE	CODE
4' (1.2m)	SS042
6' (1.8m)	SS062
7' (2.1m)	SS072
8' (2.4m)	SS082
10' (3.0m)	SS102
12' (3.6m)	SS122

AN INCREDIBLY STRONG STEP LADDER
by **LADaMAX**

SIZE	CODE
3' (0.9m)	DS032
4' (1.2m)	DS042
6' (1.8m)	DS062
7' (2.1m)	DS072
8' (2.4m)	DS082
10' (3.0m)	DS102
12' (3.6m)	DS122

A VERY RIGID & STABLE STEP LADDER
by **LADaMAX**

SIZE	CODE
8' (2.4m)	SI 082
10' (3.0m)	SI 102
12' (3.6m)	SI 122
14' (4.2m)	SI 142
16' (4.8m)	SI 162
18' (5.4m)	SI 182
20' (6.0m)	SI 202

LIGHT YET EXTREMELY RIGID SINGLE LADDER
by **LADaMAX**

Heavy duty side arm option - add 'HA' after code

Hooks optional extra

EXTENSION

STEP/EXTENSION



Extra Heavy 'I' Beam Side Rails

Heavy Duty Flat Top 'D' Rungs Fully Swaged

Easy Flow Rope System

Extra Heavy Duty Hook Clutch

SIZE CLOSED/EXTENDED	CODE
8' (2.4m)/13' (3.9m)	XT082
10' (3.0m)/17' (5.1m)	XT102
12' (3.6m)/21' (6.3m)	XT122
13' (3.9m)/23' (6.9m)	XT132
14' (4.2m)/25' (7.5m)	XT142
16' (4.8m)/28' (8.4m)	XT162
17' (5.1m)/30' (9.0m)	XT172
18' (5.4m)/32' (9.6m)	XT182
20' (6.0m)/36' (10.8m)	XT202

INCREASED FRAME STRENGTH & INCREASED SAFETY
by **LADaMAX**



Stronger 'DD' Tread, Fully Swaged

Stainless Steel Side Arms/Spreaders, Extra Bracing

World's Strongest Base Brace/Tread Stiffener

Outrigger Stabilizer on Rear



SIZE CLOSED/EXTENDED	CODE
6' (1.8m)/10' (3.0m)	SE062
7' (2.1m)/12' (3.6m)	SE072
8' (2.4m)/14' (4.2m)	SE082

A STABLE MULTI PURPOSE LADDER
by **LADaMAX**

All measurements are nominal.

WORLDCLASS EXTRA HEAVY DUTY LADDERS (150kg Rated)

ELECTRO-PRO

HEAVY DUTY NON-CONDUCTIVE FIBREGLOSS

(ALL FULLY SWAGED)

HEAVY
DUTY FIBREGLOSS

SINGLE SIDED STEP



Strongest
Back Leg

Strongest
Base Tread
Stiffener

Strongest
Step Tread
Connection

Extra Heavy
Duty Side Arms

SIZE	CODE
4' (1.2m)	FSS042
6' (1.8m)	FSS062
7' (2.1m)	FSS072
8' (2.4m)	FSS082
10' (3.0m)	FSS102
12' (3.6m)	FSS122

**THE STRONGEST
STEP LADDER
IN THE
INDUSTRY**
by
LADaMAX

DOUBLE SIDED STEP



Strongest
Base Brace
Tread
Stiffener

Strongest
Tread
Connection in
the Industry

Extra Heavy
Duty Side
Arms

SIZE	CODE
3' (0.9m)	FDS032
4' (1.2m)	FDS042
6' (1.8m)	FDS062
7' (2.1m)	FDS072
8' (2.4m)	FDS082
10' (3.0m)	FDS102
12' (3.6m)	FDS122

**AN
INCREDIBLY
STABLE &
RIGID LADDER**
by
LADaMAX

STEP/EXTENSION



Strongest
Base Brace
Tread
Stiffener

Strongest
Tread
Connection in
the Industry

Heavy Duty
Stainless Steel
Connector
Arms

SIZE CLOSED/EXTENDED	CODE
6' (1.8m)/10' (3.0m)	FSE062
7' (2.1m)/12' (3.6m)	FSE072
8' (2.4m)/14' (4.2m)	FSE082

**A
VERSATILE
ADJUSTABLE
LADDER**
by
LADaMAX

AVAILABLE AT:

WA LADDERS

**9 Pitino Court
OSBORNE PARK
WA 6017**

Ph: 08 9445 2033

Fax: 08 9445 7033

All measurements are nominal.

WORLDCLASS HEAVY DUTY NON-CONDUCTIVE FIBREGLOSS LADDERS

AUSTRALIA'S FALL PREVENTION SPECIALISTS SIMPLY WORLD CLASS

FIBREGLASS PLATFORM STEP NON CONDUCTIVE 150KG RATING TO AS1892

LADaMAX

FEATURE WALL



**SUPERIOR RECTANGULAR
HOLLOW REAR FRAME**



**STRONGEST PLATFORM
STRUCTURE**



SIDE RAIL SAFETY MOUNT



**"STRONGBOW" WORLD'S
STRONGEST BASE BRACE
TREAD STIFFENER**



**SAFETY GATE
OPTIONAL EXTRA**

*CASTOR MOUNTS WILL BE STANDARD ON EVERY PLATFORM STEP LADDER

PROD No.	DESCRIPTION	O'ALL HEIGHT A(m)	DEPTH B(m)	FRONT C(m)	PLATFORM D(m)	WT (KG)	TRANSPORT CUBE M ³
FPS5-2	Platform 5-2	1.50	.82	.60	.61	10	.21
FPS6-3	Platform 6-3	1.79	1.04	.64	.88	12	.26
FPS7-4	Platform 7-4	2.08	1.18	.68	1.17	14	.32
FPS8-5	Platform 8-5	2.36	1.35	.72	1.45	16	.39
FPS9-6	Platform 9-6	2.66	1.54	.76	1.74	18	.46
FPS10-7	Platform 10-7	2.93	1.70	.80	2.02	20	.54
FPS11-8	Platform 11-8	3.22	1.88	.84	2.30	22	.62
SG	<i>Safety Gate Optional Extra</i>						
CK	<i>Castor Kits Optional Extra (No kits available for PS13-10)</i>						

* All measurements are nominal and do not indicate 'exact' dimensions

LADAMAX SAFETY GATE AND CASTOR KITS ARE OPTIONAL EXTRAS
 PO BOX 5596 BRENDALE MDC QLD 4500. Ph: 07 3205 2511 Fax: 07 3205 4066
 EMAIL: admin@ladamax.com.au Web: www.ladamax.com.au

FALL PREVENTION SPECIALISTS

ULTRA-MAX

SUPPORTS UP TO 150 KG IN TOTAL WEIGHT

EXTRA HEAVY DUTY for the PROFESSIONAL CONTRACTOR

ALUMINIUM 150

SINGLE SIDED STEP



Stronger 'DD' Tread, Fully Swaged

Unique Antiwalk Side Lock

World's Strongest Base Brace/Tread Stiffener

Larger PVC Feet

DOUBLE SIDED STEP




Stronger 'DD' Tread, Fully Swaged

World's Strongest Base Brace/Tread Stiffener

Larger PVC Feet

SINGLE



Heavy Duty Flat Top 'D' Rung Fully Swaged

Increased Frame Strength

Extra Heavy Duty 'I' Beam Side Rails 4.8, 5.4 & 6.0

SIZE	CODE
4' (1.2m)	SS042
6' (1.8m)	SS062
7' (2.1m)	SS072
8' (2.4m)	SS082
10' (3.0m)	SS102
12' (3.6m)	SS122

AN INCREDIBLY STRONG STEP LADDER
by **LADaMAX**

SIZE	CODE
3' (0.9m)	DS032
4' (1.2m)	DS042
6' (1.8m)	DS062
7' (2.1m)	DS072
8' (2.4m)	DS082
10' (3.0m)	DS102
12' (3.6m)	DS122

A VERY RIGID & STABLE STEP LADDER
by **LADaMAX**

SIZE	CODE
8' (2.4m)	SI 082
10' (3.0m)	SI 102
12' (3.6m)	SI 122
14' (4.2m)	SI 142
16' (4.8m)	SI 162
18' (5.4m)	SI 182
20' (6.0m)	SI 202

LIGHT YET EXTREMELY RIGID SINGLE LADDER
by **LADaMAX**

Heavy duty side arm option - add 'HA' after code

Hooks optional extra

EXTENSION



Extra Heavy 'I' Beam Side Rails

Heavy Duty Flat Top 'D' Rungs Fully Swaged

Easy Flow Rope System

Extra Heavy Duty Hook Clutch

SIZE CLOSED/EXTENDED	CODE
8' (2.4m)/13' (3.9m)	XT082
10' (3.0m)/17' (5.1m)	XT102
12' (3.6m)/21' (6.3m)	XT122
13' (3.9m)/23' (6.9m)	XT132
14' (4.2m)/25' (7.5m)	XT142
16' (4.8m)/28' (8.4m)	XT162
17' (5.1m)/30' (9.0m)	XT172
18' (5.4m)/32' (9.6m)	XT182
20' (6.0m)/36' (10.8m)	XT202

INCREASED FRAME STRENGTH & INCREASED SAFETY
by **LADaMAX**

STEP/EXTENSION



Stronger 'DD' Tread, Fully Swaged

Stainless Steel Side Arms/Spreaders, Extra Bracing

World's Strongest Base Brace/Tread Stiffener

Outrigger Stabilizer on Rear

SIZE CLOSED/EXTENDED	CODE
6' (1.8m)/10' (3.0m)	SE062
7' (2.1m)/12' (3.6m)	SE072
8' (2.4m)/14' (4.2m)	SE082

A STABLE MULTI PURPOSE LADDER
by **LADaMAX**

All measurements are nominal.

WORLDCLASS EXTRA HEAVY DUTY LADDERS (150kg Rated)